

MAXIMUM TEMPERATURE FOR RUPTURE DISC MATERIALS, LINERS & COATINGS

Materials	Temperature Limit	
	°F	°C
Aluminum / Silver	260	127
Nickel / MONEL®	800	427
316 SS / HASTELLOY® C	900	482
INCONEL®	1,000	538
FEP Fluoropolymer Seal, Liner or Coating	400	204
PTFE or PFA Fluoropolymer Seal or Liner	500	260